

Sk. Baji

R & A/C Diploma

Quotaion / Bill

984927017

984927017

# BAJI REFRIGERATION WORKS



BCM ROAD, P.V.N.R. COMPLEX, SHOP NO.6,  
MYLAVARAM - 521 230., KRISHNA DT, A.P.



- \* Air Coolers
- \* Water Coolers
- \* Bottle Coolers
- \* Refrigerators
- \* Room Air Conditioners
- \* Split Air Conditioners
- \* Deep Freezer

To,

Sri. Nri college

Date 09/04/21

No.	PARTICULARS	Qty.	Rate	Amount
1,	Fan Motor's	7 no	1550/-	10,850/-
2,	Compressor and gas	4		6000/-
3,	Radiator - 1/6 gas	1		3500/-
4,	New Coolers	5	21000/-	105,000/-

TOTAL

125,350/-

Signature.

## Tax Invoice

**Refac Aircon - 2022-23**

57-15-3, Beside Nageswara medical shop  
hennu Nagabhusanam street  
antakaluva road  
atamata, Vijayawada - 520010  
STIN/UIIN: 37ABBFR4296H1ZV  
State Name : Andhra Pradesh, Code : 37  
-Mail : refacaircon@gmail.com  
Buyer

**RI DURGA MALLESWARI EDUCATIONAL SOCIETY**  
OTHAVARAPPADU VILLAGE,  
GIRIPALI MANADAL, KRISHNA DISTRICT  
STIN/UIIN : 37AAHTS7242R1ZK  
State Name : Andhra Pradesh, Code : 37

Invoice No. <b>22-23/83</b>	Dated <b>2-Jun-2022</b>
Delivery Note	Mode/Terms of Payment
Supplier's Ref.	Other Reference(s)
Buyer's Order No.	Dated
Despatch Document No.	Delivery Note Date
Despatched through	Destination
Terms of Delivery	

Description of Goods	HSN/SAC	Quantity	Rate	per	Amount
<b>ROTARY 2.0 TON Compressor(84148011)</b> MODEL: PH340G2C Sr. No: 201509652C WARRANTY ELEVEN MONTHS	84148011	1 NOS	8,050.85	NOS	8,050.85
<b>ROTARY COMPRESSOR 1.5 TON</b> MODEL: GMCC Sr.No: 9689 ELEVEN MONTHS WARRANTY	8414	1 NOS	7,372.88	NOS	7,372.88
					15,423.73
					CGST 1,388.14
					SGST 1,388.14
Less :					Round Off (-)0.01
					<b>Total</b>
		<b>2 NOS</b>			<b>₹ 18,200.00</b>

Amount Chargeable (in words)

**NR Eighteen Thousand Two Hundred Only**

HSN/SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
84148011	8,050.85	9%	724.58	9%	724.58	1,449.16
8414	7,372.88	9%	663.56	9%	663.56	1,327.12
<b>Total</b>	<b>15,423.73</b>		<b>1,388.14</b>		<b>1,388.14</b>	<b>2,776.28</b>

Tax Amount (in words) : **INR Two Thousand Seven Hundred Seventy Six and Twenty Eight paise Only**

**Company's Bank Details**

Bank Name : PUNJAB AND SIND BANK  
A/c No. : 03181100002689  
Branch & IFS Code : Governerpet Branch & PSIB0000318  
for Refac Aircon - 2022-23

**Declaration**

We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

Authorised Signatory

This is a Computer Generated Invoice

X

**TAX INVOICE**

**MHESH AIR CONTROLS**  
**D.NO. 29-7-4,V.V.RAO STREET,VIJAYAWADA-520002.**  
**GSTIN.37ESFPS4632R1ZT**

Invoice No: **MAC/22-23/50** Invoice date: **21.04.2022**  
 Bill to Party


NAME: **SRI DURGA MALLESWARIO EDUCATIONAL SOCIETY** POTHAVARAPADU VILLEGE,AGIRIPALLI MANDAL,KRISHNA -AP.  
 NAME: **SRI DURGA MALLESWARIO EDUCATIONAL SOCIETY** POTHAVARAPADU VILLEGE,AGIRIPALLI MANDAL,KRISHNA -AP.

GSTIN: **37AAHTS7242R1ZK** State: **ANDHRA PRSDESH** Code: **37**  
 State: **ANDHRA PRSDESH** Code: **37**

Sl. No.	DESCRIPTION	SAC CODE	QUANTITY	RATE/UNIT	AMOUNT
1	DUCTABLE UNIT COMPRESSOR REPLACING	995469	1.00	28,000.00	28,000.00
2	R407C GAS	995469	1.00	22,000.00	22,000.00
3	WATER SERVICE	995469	1.00	7,600.00	7,600.00
4	COOPPER PIPE	995469	1.00	8,000.00	8,000.00
5	BOARDS	995469	1.00	25,600.00	25,600.00
6	CONTRACTORS (AMPS)	995469	1.00	6,600.00	6,600.00
7	SERVICE CHARGES	995469	1.00	5,000.00	5,000.00

Add: Taxable Amount: **1,02,200.00**  
 CGST@ 9% **9,198.00**  
 SGST@ 9% **9,198.00**  
**TOTAL Rs. 1,20,596.00**

**Words: One Lakh Twenty Thousand Five Hundred And Ninety Six Rupees Only**

BANK PARTICULARS HDFC BANK, ELURU ROAD BRANCH NAME : MHESH AIR CONTROLS ACCOUNT NO 50200049559462 CSC CODE : HDFC0001456	CUSTOMER SIGNATURE	For Mhesh air controls  Authorised signatory
--	--------------------	--



# Order History

## Order Details

Order ID: #30730  
 Date Added: 10/10/2021







Payment Method: Bank Transfer  
 Shipping Method: Blue Dart (South) Insured (Weight: 1,832.00g)

## Payment Address

Prashu Kiran Popuri  
 VRI Institute of Technology  
 23-B-14, Ashwadh Towers, Flat No. 302, Vandanaapuram Street  
 Satyanarayanaapuram  
 Near Little Birds School @ Baburao Meda Centre  
 Vijayawada 520011  
 Andhra Pradesh  
 India

## Shipping Address

Prashu Kiran Popuri  
 VRI Institute of Technology  
 23-B-14, Ashwadh Towers, Flat No. 302  
 Vandanaapuram Street, Satyanarayanaapuram  
 Vijayawada 520011  
 Andhra Pradesh  
 India

Product Name	Model	Quantity	Price	Total	
Raspberry Pi microSDHC Card - NOOBS Pre-configured Memory: 16 GB	SP-RPi-microSDHC	6	₹ 460.00	₹ 2,760.00	 
HDMI to VGA Adapter	SP-Adapter-HDMI to VGA	6	₹ 475.00	₹ 2,850.00	 
Raspberry Pi 4 Model B Memory: 16 GB Additional Accessories(1): Case Additional Accessories(2): Power Adapter	SP-Raspberry-Pi-4-Model-B	5	₹ 5,498.00	₹ 27,490.00	 
<b>Sub-Total</b>				₹ 32,100.00	
Blue Dart (South) Insured (Weight: 1,832.00g)				₹ 4,000.00	
IGST @ 18.00%				₹ 5,152.00	
<b>Total</b>				₹ 41,252.00	



# Tax Invoice



(Original For Recipient)


Name : Jakson Limited Address : Survey No 199/1 & Others,, Village Kalsar, Taluka-Pardi, Dist-Valsad  State Code : 24 (Gujarat) Our Ref. No. : 91120081 GSTIN/UIN : 24AAACJ5347C1ZZ PAN : AAACJ5347C Customer PO : LETTER Customer PO Date: 19.12.2022 Currency : INR	Invoice No : P0322105662 Invoice Date : 04.01.2023 SO No : 1085597 SO Date : 03.12.2022  Transporter : MRC L. (INDIA) P. L. LR No : 67307141329 LR Date : 06.01.2023 Vehicle No : ON09V9852 EWB No : EWB Date : Place of Supply : Andhra Pradesh(37)	
--	---	--

Billed to : 10042735 Name & Address : SRI DURGA MALLESWARI EDUCATIONAL SOCIETY, D.NO-39-17-8, GROUND FLOOR, SIVANANDA STREET, LABBIPET, VIJAYAWADA, KRISHNA DIST., Andhra Pradesh, India.  Email : dr_rvrao@rediffmail.com State : Andhra Pradesh State Code : 37 GSTIN/UIN : 37AAHTS7242R1ZK PAN : AAHTS7242R	Shipped to : 70030973 Name & Address : NRI COLLEGE OF PHARMACY, POTHAVARAPADU, AGIRIPALLI MANDAL, Krishna Dist, Andhra Pradesh, India, 521212, Ph-9441174444 / 9394958899  Email : dr_rvrao@rediffmail.com State : Andhra Pradesh State Code : 37 GSTIN/UIN : 37AAHTS7242R1ZK PAN : AAHTS7242R
---	---

Sr No	Description of Goods	HSN/SAC	Qty.	UOM	Rate	Discount	Taxable value	Taxes		
								Rate (%)	Amount	
1	11001092 GENERATING SET-SPL SPL 500 KVA DIESEL 3PH MHP CPCB II 500 KVA / 400 KW ELECTRIC GENERATING SET SILENT TYPE CONSISTING OF COMPONENTS AS PER CHALLAN ENCLOSED Tata AIG General Insurance Company Limited., Policy No.: 0865091182 01 Period. 01 04.2022 to 31.03.2023  ( Sr No. CJGS23015861 Engine Sr No. 25481164 )	85021310	1.000	NOS	2,763,000.00	0.00	2,763,000.00			
							IGST	18.00	497,340.00	
Total							0.00	2,763,000.00		
							Total IGST		497,340.00	

Total Invoice Value ( In Figure )	THIRTY TWO LAKH SIXTY THOUSAND THREE HUNDRED FORTY RUPEES	3,260,340.00 INR
Total Invoice Value ( In Word )		

Payment Term: 0001(Pay immediately)	
Freight: PAID	



Head Office : Jakson Limited, A 43, Hosiery Complex, Phase-2, Noida 201305, Email: info@jakson.com, Website: www.jakson.com  
 Registered Office : JAKSON LIMITED, A-626, 6th FLOOR, DLF TOWER-A, IASOLA, New Delhi, 110025, CIN: U74899DL1997PLC088808



# JP ENGINEERS

Material Handling Equipments Division



GST 36AKPPA0450R1ZV

TAX INVOICE

ORIGINALE

Invoice No:	206	Transport Mode:	By hand
Invoice date:	17-02-2023	Vehicle number:	
P.O No:/ DATE:	oral	Date of Supply:	17-02-2023
State: TELANGANA	Code 36	Place of Supply	vijayawada

CUSTOMER NAME & ADDRESS	DELIVERY ADDRESS
Name: SRI DURGA MALLESWARI EDUCATIONAL SOCIETY PATAVARAPPADU, VIJAYAWADA.	Name: SRI DURGA MALLESWARI EDUCATIONAL SOCIETY PATAVARAPPADU, VIJAYAWADA.

GSTIN: 37AAHTS7242R1ZK	GSTIN: 37AAHTS7242R1ZK
State: A.P	State: A.P
Code 36	Code 36


S. No.	Product Description	HSN Code	UOM	Qty	Rate	Amount	Disc %	Taxable Value	Tax Rate %	Tax Amount	Product Total
1	HYDRAULIC CYLINDER PIPE	8428	nos	1	1,200.00	1,200.00	0	1,200.00	18	216	1416.00
2	HYDRAULIC CYLINDER ROD		nos	1	1,000.00	1,000.00	0	1,000.00	18	180	1180.00
3	SEALS AND OIL		nos	2	400.00	800.00	0	800.00	18	144	944.00

<b>Total</b>								3,000.00		540	3540.00
--------------	--	--	--	--	--	--	--	----------	--	-----	---------


Total Invoice amount in words	Total Amount Before Tax	3000.00
Three thousand five hundred fourty only	Add CGST: 9%	270.00
	Add SGST: 9%	270.00
	Add IGST: 18%	0
	Total Tax Amount	540.00

Bank Name & Branch	HDFC, chintal	Total Amount after Tax	3,540
Bank A/C:	10412000003186	Certified that the particulars given above are true and correct	
Bank IFSC:	HDFC0001041	For JP ENGINEERS	

Terms & conditions: Payment should be down before next month 10th other wise 22% Interest should pay By you because of GST interest.



*Authorized signatory*  
Authorized signatory



# MAYU

## Electrical & Electronic Systems

Bhavanipuram, Vijayawada – 520 012


### SERVICE BILL

To. Machanical dept  
NRI Institute of technology  
Polthavayyapadu, Agneepalli  
Kondhurat

Date: 2/8/2022  
Mobile: 8688399664

SL. NO	DESCRIPTION OF GOODS	QTY	UNIT PRICE	AMOUNT (RS)
①	Metallurgy Lab Service	3		2600/-
②	Production technology Lab Service	4		2600/-
③	TOM Lab Component Service	4		2000/-
④	FM&HM Lab Tubes - 3 set Service			2000/-
			Total =	8000/-
Eight Thousand rupees only				

Mayu Electrical & E Systems





# MAYU

## Electrical & Electronic Systems

Bhavanipuram, Vijayawada - 520 012

### SERVICE BILL

To. NRI Institute of Technology  
Mechanical Engg - Dept  
Ratnavarapadu - VISA


Date : 15/7/2022  
Mobile : 8688399664

SL. NO	DESCRIPTION OF GOODS	QTY	UNIT PRICE	AMOUNT (RS)
①	MORSE Test heat balance test 4-5-3C petrol engine All service components	1		2000/-
②	VARIABLE Compressor ratio test w/p powder work component	1		3500/-
③	Performance test - scooter petrol engine	1		2500/-
④	Dryness Fredction mesurment test A/g, Components	1		650/-
⑤	MULTI stage reciprocating Air Compressor service components	1		3000/-
Total =				11,650

Mayu E & E Systems







# MAYU

## Electrical & Electronic Systems

Bhavanipuram, Vijayawada – 520 012

### SERVICE BILL

To. NRI Institute of  
Technology  
Mechanical Eng Department  
Poltavavipadu  
VISA

Instrumentation  
Lab

Date: 15/7/2022

Mobile :8688399664

SL. NO	DESCRIPTION OF GOODS	QTY	UNIT PRICE	AMOUNT (RS)
①	Pressure measurement test	1		1450-00
②	Speed measurement trainer	1		800-00
③	LVDT - measurement	1		1100-00
④	Temperature measurement	1		1300-00
⑤	Thermocouple Sensor	1		0700-00
⑥	RTD Sensor kit	1		0700-00
⑦	Capacitance Trainer	1		0600-00
⑧	Vibration Analyzer	1		0600-00
⑨	Rotometer Test Log	1		1200-00
⑩	Strain measurement kit	1		0900-00
⑪	Tool maker Microscope	1		0500-00
Total				9,850

Mayu Electrical & Electronic Systems





CREDIT/CASH

CELL : 9393421619

# HEMA MACHINERY TRADERS

#12-10-44/1A, CONVENT STREET, TARAPET, VIJAYAWADA - 520 001.

Invoice No: 143

Date: 26/12/2022

Reverse Charge: (Y/N)

State: Andhra Pradesh State Code 37

Transport Mode: By Hand

Vehicle Number:

Date of Supply: 26/12/2022

Place of Supply: A POTAWARAPPADU

Buyer's Name: M/S. SRI DURGA MALLESWARA EDUCATION SOCIETY

Address: V. POTAWARAPPADU, V. VIJAYAWADA

Party's GSTIN: 37AAHTS724212K State Code: 37

Sl No	Product Description	HSN Code	Qty.	Rate	18%	Amount
1.	Lathe machine Rest Rod with nut and Tappes Grinding	8466	1ct	2700/-	486/-	3.186/-
2.	Lathe Machine Handle Rod Grinding	8466	1ct	9900/-	1782/-	3.186/-
3.	Lathe Machine Rest Grinding with Handle Rod	8466	1ct	1900/-	342/-	2.242/-
4.	Lathe Rod Rest Grinding	8466	1ct	1900/-	342/-	2.242/-
5.	Machine vice	8205	1No.	3900/-	576/-	3.776/-
6.	V. Belt (300 x 4 = 1200)	1021	4Nos	300/-	216/-	1.416/-
7.	Dead Centre MT - 3	8466	1No.	2250/-	405/-	2.655/-
8.	Bit - Lathe Work	8466	1No.	300/-	54/-	3.54/-

(In words) Sixteen thousand four hundred and fifty eight only

No. of Packages: 8

ACCOUNT No.: 40054987947

BANK: STATE BANK OF INDIA

BRANCH: VIJAYAWADA-1

IFSC: SBIN0000948

Total Amount Before Tax 14,125/-

Add. CGST @ 1,271/25

Add. SGST @ 1,271/25

Add. IGST @ 1

Total Amount after Tax 16,667/50

Grand Total 16,668/-

## Terms &amp; Conditions:

- Goods once sold cannot be taken back.
- All disputes are Subject to Vijayawada Jurisdiction.

For HEMA MACHINERY TRADERS

Authorised Signature.

**Tax Invoice**

(ORIGINAL FOR RECIPIENT)

**GAYATRI ENGINEERING ENTERPRISES**  
 12-6-11, HART STREET  
 TARAPET, VIJAYAWADA  
 DISTRIBUTORS FOR TAPARIA TOOLS LTD  
 GSTIN/UIN: 37AFUPB4342P1ZV  
 State Name : Andhra Pradesh, Code : 37  
 Contact : 0866-2422073,9848745755  
 E-Mail : gee\_engineering@rediffmail.com

Consignee (Ship to)  
**NRIT**  
 POTHAVARAPADU  
 State Name : Andhra Pradesh, Code : 37  
 Buyer (Bill to)  
**NRIT**  
 POTHAVARAPADU  
 State Name : Andhra Pradesh, Code : 37

Invoice No. <b>GE/22-23/2138</b>	Dated <b>30-Jul-22</b>
Delivery Note	Mode/Terms of Payment <b>Cash</b>
Reference No. & Date.	Other References
Buyer's Order No.	Dated
Dispatch Doc No.	Delivery Note Date
Dispatched through <b>By Hand</b>	Destination
Terms of Delivery	

SI No.	Description of Goods	HSN/SAC	Quantity	Rate (Incl. of Tax)	Rate per	Amount
1	HAND TAPS - 82074090 12MM	82074090	1 NO.S		250.00 NO.S	250.00
2	HAND TAPS - 82074090 10MM	82074090	1 NO.S		170.00 NO.S	170.00
3	HSS DRILL BIT 8.5	8207	2 NO.S		305.00 NO.S	610.00
4	HSS DRILL BIT 13/32	8207	1 NO.S		460.00 NO.S	460.00
5	Tap Handle 8205	8205	1 NO.S		295.00 NO.S	295.00
						1,785.00
<b>CGST</b>						160.65
<b>SGST</b>						160.65
<b>ROUND OFF</b>						(-0.30)
<b>Less:</b>						
<b>Total</b>						<b>6 NO.S</b>
						<b>Rs 2,106.00</b>

Amount Chargeable (in words)

**₹ Two Thousand One Hundred Six Only**

**E. & O.E**

HSN/SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
82074090	420.00	9%	37.80	9%	37.80	75.60
8207	1,070.00	9%	96.30	9%	96.30	192.60
8205	295.00	9%	26.55	9%	26.55	53.10
<b>Total</b>	<b>1,785.00</b>		<b>160.65</b>		<b>160.65</b>	<b>321.30</b>

Tax Amount (in words) : **₹ Three Hundred Twenty One and Thirty paise Only**

Company's PAN : **AFUPB4342P**

Company's Bank Details  
 Bank Name : **HDFC BANK LTD 50200005105303**  
 A/c No. : **50200005105303**  
 Branch & IFS Code: **ONE TOWN & HDFC0000568**

Declaration  
 We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

for GAYATRI ENGINEERING ENTERPRISES

Authorised Signatory

SUBJECT TO VIJAYAWADA JURISDICTION

This is a Computer Generated Invoice

**Tax Invoice**

(ORIGINAL FOR RECIPIENT)

**JYOTHI MILL STORES**  
 12-8-3, Hydersaheb Lane  
 Tarapat,  
 Vijayawada - 520 001  
 GSTIN/UIN: 37AABFJ7559E1Z7  
 State Name : , Code :  
 E-Mail : jyothimillstores@yahoo.co.in  
 Buyer  
**NRI**  
**POTHAVARAPADU**  
 State Name : Andhra Pradesh, Code : 37

Invoice No. <b>752</b>	Dated <b>14-Jul-2022</b>
Delivery Note	Mode/Terms of Payment
Supplier's Ref.	Other Reference(s)
Buyer's Order No.	Dated
Despatch Document No.	Delivery Note Date
Despatched through	Destination
Terms of Delivery	

SI No.	Description of Goods	HSN/SAC	Quantity	Rate per	Amount
1	1" Shaft	7215	25.16 MTRS	277.90 MTRS	6,992.00
					<b>CGST</b> 629.28
					<b>SGST</b> 629.28
					<b>ROUND OFF</b> 0.44
<b>Total</b>					<b>25.16 MTRS</b>
					<b>RS. 8,251.00</b>

Amount Chargeable (in words)

**INR Eight Thousand Two Hundred Fifty One Only**

E. & O.E

HSN/SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
7215	6,992.00	9%	629.28	9%	629.28	1,258.56
<b>Total</b>	<b>6,992.00</b>		<b>629.28</b>		<b>629.28</b>	<b>1,258.56</b>

Tax Amount (in words)

**INR One Thousand Two Hundred Fifty Eight and Fifty Six paise Only**

Company's PAN : **AABFJ7559E**

Company's Bank Details

Declaration  
 We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

Bank Name : **State Bank of India**  
 A/c No. : **32956519454**  
 Branch & IFS Code : **Main Branch & SBIN0000948**

Customer's Seal and Signature

for JYOTHI MILL STORES

*[Handwritten Signature]*

File No.ENE02/110/2023-DEI-ELR

ఆంధ్ర ప్రదేశ్ ప్రభుత్వము

విద్యుత్ భద్రతా తనిఖీ శాఖ

నుండి:

ఉప-విద్యుత్ తనిఖీ అధికారి

ఏలూరు ఉప-విభాగము

ఇంటి నెం :22c-7-3, ప్లాట్ నెం.A1,

శ్రీ రంగ సదన్ ,పవర్పేట్

ఏలూరు -534002

వరకు:

Sri Durga Malleswari Educational Society

NRI College of Engg & Tech. Sy.No: 57, 62/2 A, 62/2 C, 64/1 B & 64/2 B,

Pothavarappadu (V), Agiripalli (M)

ELURU

ELURU

లేఖ సంఖ్య:ఉ వి త అ /వి న ఉ వి/ ఏలూరు /అ పీ వి స్థా/బ.సంఖ్య318/2023, తేదీ:06.03.2023

అర్యా!

విషయము: విద్యుచ్ఛక్తి చట్టము '2003 మరియు కేంద్ర విద్యుచ్ఛక్తి ప్రాధికార ( భద్రత మరియు విద్యుచ్ఛక్తి సరఫరాకు సంబంధించిన విధానములు) నియమములు '2010-మీ యొక్క 650 వోల్టులకు మించిన వి ద్యుత్ స్థావరముM/s. Sri Durga Malleswari Educational Society,Pothavarappadu,ELURU. నియమము 30(1) క్రింద తనిఖీ చేసి గమనించిన కొన్ని లోపములు సరిదిద్దుటకు తెలుపు ఆదేశములు- గురించి.

నిర్దేశ్యము: తనిఖీ తేదీ:27.02.2023

మీ 650 వోల్టులకు మించిన విద్యుత్ స్థావరమును తనిఖీ చేసిన పిదప కేంద్ర విద్యుచ్ఛక్తి ప్రాధికార (భద్రత మరియు విద్యుచ్ఛక్తి సరఫరాకు సంబంధించిన విధానములు) నియమములు '2010 లోని కొన్ని నియమములు పాటించనట్లుగా గమనించడమైనది.

అట్టి లోపములు క్రింద క్రమ సంఖ్యలలో వివరముగా చూపబడినది. ఈ ఆదేశములను "A" గ్రేడు లైసెన్సు కలిగిన విద్యుత్ కాంట్రాక్టరు సహాయముతో సరిచేసి/పాటించి, కాంట్రాక్టరు పని పూర్తిచేసి పరీక్ష చేసినట్లు ఇచ్చు ధ్రువపత్రములను (అనువతన నివేదిక) పొందుపరచి, మీ యొక్క ప్రత్యుత్తరమును క్రమ వరుసలో సంఖ్య వారీగా పూర్తి వివరములతో తేదీ: లోగా ఈ కార్యాలయమునకు పంపవలయును.

పైన తెలిపిన విధముగా గడువు తేదీలోగా మీరు ప్రత్యుత్తరమును పంపని యెడల అమలులో ఉన్న నియమముల ప్రకారము 500 రూపాయలు అపరాధ రుసుము మరియు ఆ పైన ప్రతి రోజుకు 50 రూపాయలు చొప్పున అపరాధ రుసుముతో పాటు మీ విద్యుత్ స్థావరమునకు విద్యుత్ సరఫరా నిలుపుదల చేయుటకు ఆదేశములు జారీ చేసి తగిన చర్య తీసుకొనబడును.

ఈ ఉత్తర్వు జారీ చేసిన లేక అందచేసినట్లు భావించబడిన తేదీ నుండి మూడు మాసముల లోపు ఈ ఉత్తర్వులపై అప్పీలు దాఖలు చేసికొనవచ్చును. అయితే పైన పేర్కొనబడిన నిర్దిష్టపరచిన తేదీన లేక తేదీలోపు అప్పీలేటు అధికారి అట్టి అప్పీలు అమలును సస్పెండు చేసిననే తప్ప, ఈ ఉత్తర్వులలో యేమి ఉన్నప్పటికీ అది పాటించవలెను.

మరియు, మీ 650 వోల్టులకు మించిన విద్యుత్ స్థావరములో అదనముగా ఏమైనా మార్పులు, చేర్పులు చేసినచో అట్టి మార్పులు, చేర్పులను నియమము 43(4) ప్రకారము ప్రభుత్వ ఉప ప్రధాన ఇన్స్పెక్టర్ తనిఖీ అధికారి, విజయవాడ వారి అనుమతి లేకుండా అట్టి పరికరములకు విద్యుత్ సరఫరాకు కలుపకూడదు.

INSTRUCTIONS:

1. Designated person(s) shall be appointed for the purpose to operate and carryout electrical works in the consumer's premises and he should posses a certificate of competency or electrical work permit (11KV ) issued by the A.P.Electrical Licensing Board, Guntur. A Copy of such certificate of competency (11KV Permit) to work shall be submitted to this office. A Register wherein the names of the designated persons and purpose for which shall be maintained and entered. ((Regulation-3 & Regulation-28(2))
2. Transformer I.R.Values and oil should be tested Periodically by Authorised Agency approved by Chief Electrical Inspector to Govt. of A.P,Guntur and results recorded in a register. A copy of such test report shall be submitted to this office. (Regulation-12)
3. Earth Pit Resistance of all Earth Pits should be measured periodically by Authorised Agency approved by Chief Electrical Inspector to Govt. of A.P,Guntur and results recorded in a register. A copy of such test report shall be submitted to this office. Funnels and covers shall be provided to the earth pits. Earth pits shall be marked for identification. (Regulation-12)
4. The busted lightning arresters should be replaced with new ones immediately. (Regulation-12)
5. Earth pits should be maintained as per Indian Standards. (Regulation-16(1))
6. Earth pits which are found buried/ineffective due to rusted electrode shall be renovated as per I.S.3043.
7. It shall be responsibility of the Owner of all the installations of voltage exceeding 650 Volt to maintain and operate the

**File No.ENE02/110/2023-DEI-ELR**

installations in a condition free from danger and as recommended by the manufacturer or by the relevant codes of practice of the Bureau of Indian Standards.

8. ELCB/RCCB of 30 mA capacity shall be provided for every lighting circuit below 3.00KW load

As Per the G.O. M.S No.7 Energy (Services) Department Dated 12-02-2012, any accident occurs in connection with the generation, transmission, supply or use of electricity in or in connection with, any part of the electric lines or other works of any person, such person or any authorized person of the generating company or licensee, not below the rank of a Junior Engineer or equivalent shall send to the Inspector a telegraphic report within 24 hours of the knowledge of the occurrence of the fatal accident and a written report in the Form set out in Annexure within 48 hours of the knowledge of occurrence of fatal and all other accidents.

For the intimation of the accident, telephone numbers, fax numbers and addresses of Chief Electrical Inspector or Electrical Inspectors, District Magistrate, Police station, Fire Brigade and nearest hospital shall be displayed at the conspicuous place in the generating station, sub-station, enclosed sub-station/switching station and maintained in the Office of the incharge/ owner of the Medium Voltage (MV)/High Voltage (HV)/Extra High (EHV) installations as shown below.

**BOARD TO BE DISPLAYED:**

For intimation of the accident:

1. Designation of the Inspector : The Deputy Chief Electrical Inspector to Govt.
2. Address of the Inspector : D.No:27-16-175, 3<sup>rd</sup> Floor,  
Mudda Subbaiah Street, Governorpet  
Vijayawada-520002

If any incharge / owner of the Medium Voltage (MV)/High Voltage (HV)/ Extra High Voltage (EHV) installations failed to display the Boards as required under sub-rule (2) of rule 3, he shall be punishable with fine of three thousand rupees.

భవధీయుడు

# Digitally Signed #

ఉప విద్యుత్ తనిఖీ అధికారి

ఏలూరు

ప్రతిని

ప్రభుత్వ ఉప ప్రధాన విద్యుత్ తనిఖీ అధికారి, విజయవాడ వారికి సమాచారము నిమిత్తము సమర్పించడమైనది.

**GOVERNMENT OF ANDHRA PRADESH  
STATE DISASTER RESPONSE AND FIRE SERVICES DEPARTMENT**

From :  
Sri G. Sreenivasulu, M.Sc.,B.Ed.,  
Ad.D.F.E.(NFSC).,  
Regional Fire Officer,  
Eastern Region, Vijayawada.

To:  
The Commissioner,  
CRDA,  
Vijayawada.

**RC.NO. 2675 / RFO / ER / 2023, Dt: 17.10.2023**

Sir,

Sub : A.P.State Disaster Response and Fire Services Department-Eastern Region- Krishna District - Issue of No Objection Certificate for Occupancy to M/s NRI Institute of Technology, R.S.No.62/1,62/2A,62/2C,64/1B, 64/2B, Pothavarappadu (V), Agiripalli (M), Krishna District -Regarding.

- Ref:1. Circular Memorandum Rc.No.3350/Audit/NOC/2012, Dt:09.03.2023 the Powers were delegated by the Director General, State Disaster Response and Fire Services A.P., Vijayawada.
2. Application of the M/s NRI Institute of Technology, R.S.No.62/1,62/2A, 62/2C, 64/1B, 64/2B, Pothavarappadu (V), Agiripalli (M), Krishna District received through Mee Seva T.No.08IGM0001697332,dt.25-06-2023.
3. This Office Memo Rc.No.2675/RFO/ER/2023, Dated.14-07-2023.
4. Inspection committee report Rc.No.3675/A2/2023,Dt.05-09-2023.
- \*\*\*\*\*

With reference to the 4<sup>th</sup> cited, the Inspection Committee of Krishna District has inspected the Non-Multi Storied Educational Building of M/s.NRI Institute of Technology, R.S.No.62/1 62/2A, 62/2C,64/1B, 64/2B, Pothavarappadu Village, Agiripalli Mandal, Krishna District on 19.08.2017 and submitted the following report.

2. Particulars of the building: **Main Block**

- a) Address of the Building : M/s.NRI Institute of Technology,  
R.S.No.62/1 62/2A, 62/2C,64/1B, 64/2B,  
Pothavarappadu Village, Agiripalli Mandal, Krishna District
- b) Height of the building : 14.95 meters
- c) No. of Floors : Ground + 3 Upper Floors.
- d) Type of Occupancy : Educational (B1)

3. The Builder has provided the following Open Spaces all round the Building:

Side	Open space required as per G.O.Ms.No.119	Open space provided by the Builder in meters	Deficiency in meters
East	05.00	21.05	Nil
North	05.00	07.00	Nil
West	05.00	19.50	Nil
South(F)	04.00	13.05	Nil

4. The builder provided the following Means of Escape (Internal Staircases).

Sl. No.	Details of Means of Escape	Minimum width required as per NBC		Provided		Deficit
		No	Width	Nos	Width in Meters	
1.	Internal Staircase	1No	01.50 Mtrs.,	02	02.02 X 02 Nos. = 04.04	Nil
2.	External Staircase	01 No.	01.25 Mtrs	01	01.71	Nil
	Total			03	05.75 Mtrs	

(Contd..2P)

5. The details of Occupant Load per Unit and Exit Width required and provided is furnished as below:

S. No.	Floor	Built-up area in Sq.Mtrs.,	Type of Occupancy	No. of Occupants as per NBC	Means of escape Required as per NBC in Mtrs.,	Provided In Mtrs.,	Deficit
1	Ground Floor	2043.18	Educational	511	Required 03.32 Mtrs Width of Doors	Provided sufficient No. of Doors	Nil
2	1 <sup>st</sup> Floor	2043.18	Educational	511	05.11	05.75	Nil
3	2 <sup>nd</sup> Floor	2043.18	Educational	511	05.11	05.75	Nil
4	3 <sup>rd</sup> Floor	2043.18	Educational	511	05.11	05.75	Nil
	<b>Total</b>	<b>8172.72</b>					

6. Further, we submit that, the builder provided the following fire fighting systems as per NBC of India 2016, Part-4, Table 7.

S. No.	Fire Fighting Installations	Required as per NBC - 2016	Provided by the Builder	Deficit
1	Fire Extinguishers	84 Nos.	84 Nos.	Nil
2	Hose Reel	08 Nos.	08 Nos.	Nil
3	Terrace Water Tank	10,000 ltrs.,	10,000 ltrs.,	Nil
4	Fire Pump	450 LPM 01 No.	450 LPM	Nil

7. Particulars of the building: **EEE Block**

- a) Address of the Building : M/s.NRI Institute of Technology,  
R.S.No.62/1 62/2A, 62/2C,64/1B, 64/2B,  
Pothavarappadu Village, Agiripalli Mandal, Krishna District
- b) Height of the building : 14.95 meters
- c) No. of Floors : Ground + 3 Upper Floors.
- d) Type of Occupancy : Educational (B1)

8. The Builder has provided the following Open Spaces all round the Building:

Side	Open space required as per G.O.Ms.No.119	Open space provided by the Builder in meters	Deficiency in meters
East	05.00	08.29	Nil
North	05.00	21.88	Nil
West	05.00	19.50	Nil
South(F)	04.00	03.73	0.27

9. The builder provided the following Means of Escape (Internal Staircases).

Sl. No.	Details of Means of Escape	Minimum width required as per NBC		Provided		Deficit
		No	Width	No	Width in meters	
1.	Internal Staircase	1No	01.50 Mtrs.,	01 No.	02.02	Nil
	<b>Total</b>			01 No.	02.02	

**Note:-** Management has submitted an under taking letter to provide 01 No. of External staircase within 6 months. However, the means of escape required is sufficient for the occupant load.

10. The details of Occupant Load per Unit and Exit Width required and provided is furnished as below:

S. No.	Floor	Built-up area in Sq.Mtrs.,	Type of Occupancy	No. of Occupants as per management	Means of escape Required as per NBC in Mtrs.,	Provided In Mtrs.,	Deficit
1	Ground Floor	1148.51	Educational	200	Required 01.30 Mtrs width of Doors	Provided sufficient No. of Doors	Nil
2	1 <sup>st</sup> Floor	1148.51	Educational	200	02.00	02.02	Nil
3	2 <sup>nd</sup> Floor	1148.51	Educational	200	02.00	02.02	Nil
4	3 <sup>rd</sup> Floor	1148.51	Educational	200	02.00	02.02	Nil
	<b>Total</b>	<b>4594.04</b>					

(Contd..3P)



11. Further, we submit that, the builder provided the following fire fighting systems as per NBC of India 2016, Part-4, Table 7.

S. No.	Fire Fighting Installations	Required as per NBC - 2016	Provided by the Builder	Deficit
1	Fire Extinguishers	48 Nos.	48 Nos.	Nil
2	Hose Reel	04 Nos.	04 Nos.	Nil
3	Terrace Water Tank	10,000 ltrs.,	10,000 ltrs.,	Nil
4	Fire Pump	450 LPM 01 No.	450 LPM	Nil

12. Particulars of the building: **CIVIL Block**

- a) Address of the Building : M/s.NRI Institute of Technology,  
R.S.No.62/1 62/2A, 62/2C,64/1B, 64/2B,  
Pothavarappadu Village, Agiripalli Mandal, Krishna District
- b) Height of the building : 14.95 meters
- c) No. of Floors : Ground + 3 Upper Floors.
- d) Type of Occupancy : Educational (B1)

13. The Builder has provided the following Open Spaces all round the Building:

Side	Open space required as per G.O.Ms.No.119	Open space provided by the Builder in meters	Deficiency in meters
East	03.50	05.63	Nil
North	03.50	07.00	Nil
West	03.50	21.05	Nil
South(F)	04.00	13.25	Nil

14. The builder provided the following Means of Escape (Internal Staircases):

Sl. No.	Details of Means of Escape	Minimum width required as per NBC		Provided		Deficit
		No	Width	Nos.	Width in Meters	
1.	Internal Staircase	1No	01.50 Mtrs.,	02	02 X 01.50 = 03.00	Nil
	Total			02	03.00	

15. The details of Occupant Load per Unit and Exit Width required and provided is furnished as below:

S. No.	Floor	Built-up area in Sq.Mtrs.,	Type of Occupancy	No. of Occupants as per NBC	Means of escape Required as per NBC in Mtrs.,	Provided In Mtrs.,	Deficit
1	Ground Floor	752.34	Educational	188	Required 01.22 Mtrs width of Doors	Provided sufficient No.of Doors	Nil
2	1 <sup>st</sup> Floor	686.34	Educational	172	01.72	03.00	Nil
3	2 <sup>nd</sup> Floor	686.34	Educational	172	01.72	03.00	Nil
4	3 <sup>rd</sup> Floor	686.34	Educational	172	01.72	03.00	Nil
	<b>Total</b>	<b>2811.36</b>					

16. Further, we submit that, the builder provided the following fire fighting systems as per NBC of India 2016, Part-4, Table 7.

S. No.	Fire Fighting Installations	Required as per NBC - 2016	Provided by the Builder	Deficit
1	Fire Extinguishers	29 Nos.	29 Nos.	Nil
2	Hose Reel	04 Nos.	04 Nos.	Nil
3	Terrace Water Tank	10,000 ltrs.,	10,000 ltrs.,	Nil
4	Fire Pump	450 LPM 01 No.	450 LPM	Nil

(Contd..4P)

17. Particulars of the building: **MECHANICAL Block**

- a) Address of the Building : M/s.NRI Institute of Technology,  
R.S.No.62/1 62/2A, 62/2C,64/1B, 64/2B,  
Pothavarappadu Village, Agiripalli Mandal, Krishna District
- b) Height of the building : 14.95 meters
- c) No. of Floors : Ground + 3 Upper Floors.
- d) Type of Occupancy : Educational (B1)

## 18. The Builder has provided the following Open Spaces all round the Building:

Side	Open space required as per G.O.Ms.No.119	Open space provided by the Builder in meters	Deficiency in meters
East	03.50	13.20	Nil
North	03.50	07.00	Nil
West	03.50	05.63	Nil
South(F)	04.00	14.65	Nil

## 19. The builder provided the following Means of Escape (Internal Staircases).

Sl. No.	Details of Means of Escape	Minimum width required as per NBC		Provided		Deficit
		No	Width	Nos.	Width in Meters	
1.	Internal Staircase	1No	01.50 Mtrs.,	02	01.50 X 02 Nos. = 03.00	Nil
	Total			02	03.00	

## 20. The details of Occupant Load per Unit and Exit Width required and provided is furnished as below:

S. No.	Floor	Built-up area in Sq.Mtrs.,	Type of Occupancy	No. of Occupants as per NBC	Means of escape Required as per NBC in Mtrs.,	Provided In Mtrs.,	Deficit
1	Ground Floor	752.34	Educational	188	Required 01.22 Mtrs width of Doors	Provided sufficient No. of Doors	Nil
2	1 <sup>st</sup> Floor	686.34	Educational	172	01.72	03.00	Nil
3	2 <sup>nd</sup> Floor	686.34	Educational	172	01.72	03.00	Nil
4	3 <sup>rd</sup> Floor	686.34	Educational	172	01.72	03.00	Nil
	<b>Total</b>	2811.36					

## 21. Further, we submit that, the builder provided the following fire fighting systems as per NBC of India 2016, Part-4, Table 7.

S. No.	Fire Fighting Installations	Required as per NBC - 2016	Provided by the Builder	Deficit
1	Fire Extinguishers	29 Nos.	29 Nos.	Nil
2	Hose Reel	04 Nos.	04 Nos.	Nil
3	Terrace Water Tank	10,000 ltrs.,	10,000 ltrs.,	Nil
4	Fire Pump	450 LPM 01 No.	450 LPM	Nil

22. Particulars of the building: **CENTRAL Block**

- a) Address of the Building : M/s.NRI Institute of Technology,  
R.S.No.62/1 62/2A, 62/2C,64/1B, 64/2B,  
Pothavarappadu Village, Agiripalli Mandal, Krishna District
- b) Height of the building : 14.84 meters
- c) No. of Floors : Ground + 3 Upper Floors.
- d) Type of Occupancy : Educational (B1)

(Contd.,5P)

115/1

23. The Builder has provided the following Open Spaces all round the Building:

Side	Open space required as per G.O.Ms.No.119	Open space provided by the Builder in meters	Deficiency in meters
East	03.50	05.63	Nil
North	03.50	07.00	Nil
West	03.50	05.63	Nil
South(F)	04.00	07.10	Nil

24. The builder provided the following Means of Escape (Internal Staircases).

Sl. No.	Details of Means of Escape	Minimum width required as per NBC		Provided		Deficit
		No	Width	Nos.	Width in meters	
1.	Internal Staircase	1No	01.50 Mtrs.,	02	01.85 X 02 Nos. = 03.70	Nil
	Total			02	03.70	

25. The details of Occupant Load per Unit and Exit Width required and provided is furnished as below:

S. No.	Floor	Built-up area in Sq.Mtrs.,	Type of Occupancy	No. of Occupants as per NBC	Means of escape Required as per NBC in Mtrs.,	Provided In Mtrs.,	Deficit
1	Ground Floor	592.99	Educational	148	Required 0.96 Mtrs width of Doors	Provided sufficient No.of Doors	Nil
2	1 <sup>st</sup> Floor	592.99	Educational	148	01.48	03.70	Nil
3	2 <sup>nd</sup> Floor	592.99	Educational	148	01.48	03.70	Nil
4	3 <sup>rd</sup> Floor	592.99	Educational	148	01.48	03.70	Nil
	<b>Total</b>	2371.96					

26. Further, we submit that, the builder provided the following fire fighting systems as per NBC of India 2016, Part-4, Table 7.

S. No.	Fire Fighting Installations	Required as per NBC - 2016	Provided by the Builder	Deficit
1	Fire Extinguishers	24 Nos.	24 Nos.	Nil
2	Hose Reel	04 Nos.	04 Nos.	Nil
3	Terrace Water Tank	10,000 ltrs.,	10,000 ltrs.,	Nil
4	Fire Pump	450 LPM 01 No.	900 LPM	Nil

27. Particulars of the building: **PHARMACY Block**

- a) Address of the Building : M/s.NRI Institute of Technology,  
R.S.No.62/1 62/2A, 62/2C,64/1B, 64/2B,  
Pothavarappadu Village, Agiripalli Mandal, Krishna District
- b) Height of the building : 14.84 meters
- c) No. of Floors : Ground + 3 Upper Floors.
- d) Type of Occupancy : Educational (B1)

28. The Builder has provided the following Open Spaces all round the Building:

Side	Open space required as per G.O.Ms.No.119	Open space provided by the Builder in meters	Deficiency in meters
East	04.00	04.00	Nil
North	04.00	04.00	Nil
West(F)	04.00	02.00 (06.90 Internal Road)	Nil
South	04.00	04.00	Nil

29. The builder provided the following Means of Escape (Internal Staircases).

Sl. No.	Details of Means of Escape	Minimum width required as per NBC		Provided		Deficit
		No	Width	Nos.	Width in meters	
1.	Internal Staircase	1No	01.50 Mtrs.,	01	02.34	Nil
	Total			01	02.34	

(Contd..6P)

30. The details of Occupant Load per Unit and Exit Width required and provided is furnished as below:

S. No.	Floor	Built-up area in Sq.Mtrs.,	Type of Occupancy	No. of Occupants as per Management	Means of escape Required as per NBC in Mtrs.,	Provided In Mtrs.,	Deficit
1	Ground Floor	973.01	Educational	200	Required 01.30 Mtrs width of Doors	Provided sufficient No.of Doors	Nil
2	1 <sup>st</sup> Floor	934.16	Educational	200	02.00	02.34	Nil
3	2 <sup>nd</sup> Floor	934.16	Educational	200	02.00	02.34	Nil
4	3 <sup>rd</sup> Floor	934.16	Educational	200	02.00	02.34	Nil
	<b>Total</b>	3775.49					

**Note:-** Management has submitted an under taking letter to provide 01 No. of External staircase within 6 months. However, the means of escape required is sufficient for the occupant load.

31. Further, we submit that, the builder provided the following fire fighting systems as per NBC of India 2016, Part-4, Table 7.

S. No.	Fire Fighting Installations	Required as per NBC - 2016	Provided by the Builder	Deficit
1	Fire Extinguishers	40 Nos.	40 Nos.	Nil
2	Hose Reel	04 Nos.	04 Nos.	Nil
3	Terrace Water Tank	10,000 ltrs.,	10,000 ltrs.,	Nil
4	Fire Pump	450 LPM 01 No.	900 LPM	Nil

32. The Management has remitted an amount of Rs.245370/- (Rupees Two lakh forty five thousand three hundred and seventy only) vide Challan No.0000023848, Dt.24-05-2017 and Rs.315295/- (Rupees Three lakh fifteen thousand two hundred and ninety five only) vide Challan No.0000055879, Dt.01-09-2017 towards Fire precautionary fee.


33. The Inspection committee have tested the Fire Safety Systems during the inspection and performance is found satisfactory.

34. Basing on the recommendations of the inspection committee and as per instructions issued vide reference 1<sup>st</sup>cited, the No Objection Certificate is issued to the Educational Building of M/s NRI Institute of Technology, R.S.No.62/1,62/2A,62/2C,64/1B, 64/2B, Pothavarappadu (V), Agiripalli (M), Krishna District. Subject to the conditions to provide 01 No External Staircase each for EEE Block and Pharmacy Block within 06 months.

35. This Occupancy No Objection Certificate is valid for a period of One Year from the date of issuance of this letter.

36. It is the responsibility of the management to apply for Periodical Occupancy Renewal Certificate duly remitting the user charges as per G.O.Ms No. 140 Home (Prisons & Fire Services Dept., Dt: 04.09.2015 and G.O.Ms.No.71, Home (Prison-A) Department, Dt: 01.04.2010 two (2) months before expiry of this No Objection Certificate.

Yours faithfully,

  
Regional Fire Officer,  
Eastern Region, Vijayawada.

Copies to

- (i) The Management, M/s NRI Institute of Technology, R.S.No.62/1,62/2A,62/2C,64/1B, 64/2B, Pothavarappadu (V), Agiripalli (M), Krishna District .
- (ii) The District Fire Officer, Krishna.
- (iii) The Asst. District Fire Officer, Krishna.
- (iv) The Station Fire Officer, Nuzvid.

OS



# NRI INSTITUTE OF TECHNOLOGY

(AUTONOMOUS)

(Approved by AICTE, New Delhi :: Affiliated to JNTUK, Kakinada)  
(Accredited by NAAC with A - Grade, An ISO 9001 : 2015 Certified Institution)

Pothavarappadu (V),  
(Via) Nunna, Agiripalli Mandal,  
Krishna District, A.P., INDIA  
Pin : 521 212

Cell : 8333 882 444, 9390 686868  
Ph : 0866 - 2469666, 0866 - 2469665  
e-mail : nrhitech@rediffmail.com  
URL : www.nrigroupofcolleges.com

## Appointment Order

Dr. R. VENKATA RAO  
CHAIRMAN

Date: 01/06/2016

Ref: NRI IT/A/CSE/2016

### PROCEEDINGS OF THE CHAIRMAN PRESENT : Dr. R. VENKATA RAO

Sir,

Subject : NRI Institute of Technology, Pothavarappadu - Establishment - Dr. S. V. M. NAGESWARA RAO  
appointed as Consultant Medical Doctor, Department of ADMINISTRATION - Orders issued - Reg.

\*\*\*

Dr. S. V. M. NAGESWARA RAO is appointed as Consultant Medical Doctor, Department of ADMINISTRATION in NRI Institute of Technology, Pothavarappadu (V), Arigipalli (Mandalam), Krishna District with effect from 01/06/2016 on the following terms and conditions.

Dr. S. V. M. NAGESWARA RAO will be paid an honorarium of Rs. 30,000/- consolidated per quarter of a year.

You have to submit a written undertaking that he would not leave the service without giving proper notice of one month at the least. His working hours as consultant doctor would be between 03.30 pm to 05.00 pm from Monday to Saturday every week.

You shall report to the duty before the Chairman, NRI Institute of Technology and submit all his Original Certificates and documents regarding qualifications and experience within 15 days from the receipt of this order.

You may be allowed to leave the service on serving one month's notice in writing to the management or by paying one month's salary in lieu thereof.

NRI Institute of Technology

Chairman

(Dr. R. VENKATA RAO)  
CHAIRMAN

Order No. 1  
01/06/2016



# NRI INSTITUTE OF TECHNOLOGY

(AUTONOMOUS)

Approved by AICTE, New Delhi : Permanent Affiliation to JNTUK, Kakinada  
Accredited by NBA (CSE, ECE & EEE), Accredited by NAAC with A-Grade

ISO 9001: 2015 Certified Institution

Mobile : 8333 882444

Ph : 0866 - 2469665, 0866 - 2469666

e-mail : principal@nriit.edu.in

URL : www.nriit.edu.in

Pothavarappadu (V),  
(Via) Nunna, Agiripalli (M),  
Vijayawada (Rural) - 521 212.  
Krishna District, A.P., INDIA

## Appointment Order

Date : 01/06/2021

Dr. R. VENKATA RAO  
CHAIRMAN

Ref: NRIIT/ A /ADMIN/2021

### PROCEEDINGS OF THE CHAIRMAN

*PRESENT* : Dr. R. VENKATA RAO

Sir,

Sub : NRI Institute of Technology, Pothavarappadu - Establishment -  
Dr. UPPULURU HIMAJA, Appointed as **Consultant Medical Doctor** - Department  
of **ADMINISTRATION** - Orders issued - Reg.

\*\*\*

Dr. UPPULURU HIMAJA Appointed as **Consultant Medical Doctor**, Department of  
**ADMINISTRATION** in NRI Institute of Technology, Pothavarappadu(V), Arigipalli (Mandal), Krishna  
District with effect from 01/06/2021 on the following terms and conditions.

Dr. UPPULURU HIMAJA will be paid an honorium of Rs. 50,000/- consolidated per quarter of  
a year.

She has to submit a written undertaking that she would not leave the service during the  
middle of the academic year at any time. However, such a notice will be accepted only at the end of  
the academic year but not in the middle. Her working hours as a consultant Doctor would be  
between 3-30 P.M. to 5-00 P.M. from Monday to Saturday every week.

She shall report to the duty before the Chairman, NRI Institute of Technology and submit all  
her documents regarding qualifications and experience within 15 days from the receipt of this order.

You may be allowed to leave the service on serving a One Month notice in writing to the  
management or by paying one months salary in lieu thereof.

For N.R.I. Institute of Technology

Dr. R. VENKATA RAO  
CHAIRMAN.

